

Improving Enterprise Security with Oracle

VNISA Event

Khanh Le – Security Sales Manager

Mobile: 0983081928

Email: khanh.le@oracle.com




Safe Harbor Statement

The following is intended to outline our general product direction. It is intended for information purposes only, and may not be incorporated into any contract. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described for Oracle's products remains at the sole discretion of Oracle.

The digital world is bursting with limitless possibilities that link people, places and things







Open up infinite ecosystems for new business models



Real businesses are moving to Digital

Economy

It helps Proteus link ingestible sensors with mobile apps and healthcare communities



Ubank nurtures customer loyalty with smart services and intelligent insight

Iberia chose Oracle Digital to turn customer journeys into inspirational and social travel experiences




Nike uses Oracle Digital to help +8 million people track and share lifestyle choices

value-add services




DAWN OF THE DIGITAL ECONOMY


A Dramatic Shift in Enterprise Security




THE AGE OF MEGA BREACHES

THE PAST 9 MONTHS ALONE






HACKING & MALWARE RISING FASTEST



SQL INJECTION & CREDENTIALS

ARE IN THE TOP 3 INCIDENTS FOR HACKING





TOP WEB APP ATTACK PATTERNS



SCM 4.1.4.19 19 2007/07/10 <2009-10-21 13:08:59.013 CDT>:[2]:<MDS-CS_MDS>:<INFO >:<LAYER = SCM, J2SE 1.6.0_15 Charsets supported:IBM00858, IBM437, IBM775, IBM850, IBM852, IBM855, IBM857, IBM862, IBM866, ISO-8859-1, ISO-8859-13, ISO-8859-15, ISO-8859-2, ISO-8859-4, ISO-8859-5, ISO-8859-7, ISO-8859-9, KOI8-R, KOI8-U,US-ASCII, UTF-16, UTF-16BE, UTF-16LE, UTF-32, UTF-32BE, UTF-32LE, UTF-8, windows-1250, windows-1251, windows-1252, windows-1253, windows-1254, windows-1257, x-IBM7 37, x-IBM874, x-UTF-16LE-BOM, X-UTF-32BE-BOM, X-UTF-32LE-DOM

1. Injection attacks

>:<LAYER = SCM, maxMem: 532742144 maxPoolSize: 10>
<2009-10-21 13:08:59.310 CDT>:[5]:<MDSCS_MDS>:<DEBUG>:<LAYER = SCM, EVENT = Connected,
TOPSERVICE = SRPH, LOWERSERVICE = GME>
<2009-10-21 13:08:59.310 CDT>:[6]:<MDSCS_MDS>:<DEBUG>:<LAYER = SCM, EVENT = Connected,
TOPSERVICE = IPPP, LOWERSERVICE = GME>
<2009-10-21 13:08:59.310 CDT>:[7]:<MDSCS_MDS>:<DEBUG>:<LAYER = SCM, EVENT = Connected,
TOPSERVICE = GME, LOWERSERVICE = MDP>
<2009-10-21 13:08:59.310 CDT>:[8]:<MDSCS_MDS>:<DEBUG>:<LAYER = SCM, EVENT = Connected,
TOPSERVICE = GME, LOWERSERVICE = MDP>
<2009-10-21 13:08:59.310 CDT>:[8]:<MDSCS_MDS>:<DEBUG>:<LAYER = SCM, EVENT = Connected,
TOPSERVICE = MDP, LOWERSERVICE = GPAK>
<2009-10-21 13:08:59.310 CDT>:[9]:<MDSCS_MDS>:<DEBUG>:<LAYER = SCM, EVENT = Connected,
TOPSERVICE = GPAK, LOWERSERVICE = UDP>
<2009-10-21 13:08:59.310 CDT>:[10]: MDS-

7. Insecure crypto storage

CS_MDS>:<DEBUG>:<LAYER = MLP, EVENT = Initialization>
<2009-10-21 13:08:59.357 CDP:[12]:<MDSCS_MDS>:<DEBUG>:<LAYER = MD', EVENT = Started>
<2009-10-21 13:08:59 373 CDP>:[13]:<MDS-

8. Failure to restrict URL access

<2009-10-21 13:08:59.373 CDT>:[14]:<MDSCS_MDS>:<DEBUG>:<LAYER = MDP, EVENT = Started, THREAD
= MdpLayerLowerLayerListeningThread:GPAK>
<2009-10-21 13:08:59.373 CDT>:[15]:<MDSCS_MDS>:<DEBUG>:<LAYER = MDP, EVENT = Started, THREAD
= MdpLayerHigherLayerListeningThread:GME>
<2009-10-21 13:08:59.388 CDT>:[16]:<MDSDEBUGS:<LAYER = UDP, EVENT = Initialization>

SCM 4.1.4.19 19 2007/07/10

2. Cross site scripting attacks

BM855, IBM857, IBM862, IBM366, ISO-8859-1, ISO-8859-13, ISO-8859-15, ISO-8859-2, ISO-8859-4, ISO-8859-5, ISO-8859-7, ISO-8859-9, KOI8-R, KOI8-U, US-ASCII, UTF-16, UTF-16P2, UTF-16LE, UTF-32, UTF-32BE, UTF-32LE, UTF-8 windows-1250, windows-1251, windows-1257, x-IBM7 37, x-1BM874, x-UTF-16LE-BOM, X-UTF-32BE-BOM, X-UTF-32LE-BOM>

<2009-10-21 13:08:59.185 CDT>:[3]:<MDS-CS_MDS>:<INFO
>:<LAYER = SCM, EVENT = Default Job Pool size = 10>
<2009-10-21 13:08:59.185 CDT>:[4]:<MDS-CS_MDS>:<INFO
>:<LAYER = SCM, maxMem: 532742144 maxPoolSize: 10>
<2009-10-21 13:08:59.310 CDT>:[5]:<MDSCS_MDS>:<DEBUG>:<LAYER = SCM, EVENT = Connected,
TOPSERVICE = SRPH, LOWERSERVICE = GME>
<2009-10-21 13:08:59.310 CDT>:[6]:<MDSCS_MDS>:<DEBUG>:<LAYER = SCM, EVENT = Connected,
TOPSERVICE = IPPP, LOWERSERVICE = GME>
<2009-10-21 13:08:59.310 CDT>:[7]:<MDSCS_MDS>:<DEBUG>:<LAYER = SCM, EVENT = Connected,
TOPSERVICE = IPPP, LOWERSERVICE = GME>
<2009-10-21 13:08:59.310 CDT>:[7]:<MDSCS_MDS>:<DEBUG>:<LAYER = SCM, EVENT = Connected,
TOPSERVICE = GME, LOWERSERVICE = MDP>
<2009-10-21 13:08:59.310 CDT>:[8]:<MDSCS_MDS>:<DEBUG>:<LAYER = SCM, EVENT = Connected,</pre>

6. Security misconfiguration

TOPSERVICE = GPAK, LOWERSERVICE = UDP>
<2009-10-21 13:08:59.310 CDT>:[10]:<MDSCS_MDS>:<EVENT>:<LAYER = SCM, EVENT = MDS-CS server
has started>
<2009-10-21 13:08:59 357 CDT>:[11]:<MDS-

9. Insufficient transport layer security

<2009-10-21 13:08:59.373 CDT>:[13]:<MDSCS_MDS>:<DEBUG>:<LAYER = MDP, EVENT = Started, THREAD
= MdpLayerDatagramGC>
<2009-10-21 13:08:59.373 CDT>:[14]:<MDSCS_MDS>:<DEBUG>:<LAYER = MDP, EVENT = Started, THREAD
= MdpLayerLowerLayerListeningThread:GPAK>
<2009-10-21 13:08:59.373 CDT>:[15]:<MDSCS_MDS>:<DEBUG>:<LAYER = MDP, EVENT = Started, THREAD
= MdpLayerHigherLayerListeningThread:GME>
<2009-10-21 13:08:59.388 CDT>:[16]:<MDSCS_MDS>:<DEBUG>:<LAYER = MDP, EVENT = Initialization>

3. Broken authentication & session mgmt

<2009-10-21 13:08:59.185 CPT>:[3]:<MDS-CS_MDS>:<INFO
>:<LAYER = SCM, EVENT = Default Job Pool size = 10>
<2009-10-21 13:08:59.185 CPT>:[4]:<MDS-CS_MDS>:<INFO
>:<LAYER = SCM, maxMem: 532742144 maxPoolSize: 10>
<2009-10-21 13:08:59.310 CPT>:[5]:<MDS-</pre>

4. Insecure direct object references

CS_MDS>:<DEBUG>:<LAYER = SUM, EVENT = Connected,

5. Cross site request forgery

TOPSERVICE = GME, LOWERSERVICE = MDP>
<2009-10-21 13:08:59.310 CDT>:[8]:<MDSCS_MDS>:<DEBUG>:<LAYER = SCM, EVENT = Connected,
TOPSERVICE = MDP, LOWERSERVICE = GPAK>
<2009-10-21 13:08:59.310 CDT>:[9]:<MDSCS_MDS>:<DEBUG>:<LAYER = SCM, EVENT = Connected,
TOPSERVICE = GPAK, LOWERSERVICE = UDP>
<2009-10-21 13:08:59.310 CDT>:[10]:<MDSCS_MDS>:<EVENT>:<LAYER = SCM, EVENT = MDS-CS server
has started>
<2009-10-21 13:08:59.357 CDT>:[11]:<MDSCS_MDS>:<DEBUG>:<LAYER = MDP, EVENT = Initialization>
<2009-10-21 13:08:59.357 CDT>:[12]:<MDS-

10.Unvalidated redirects and forwards

MdpLayerDatagramGC>
<2009-10-21 13:08:59.373 CDT>:[14]:<MDSCS_MDS>:<DEBUG>:<LAYER = MDP, EVENT = Started, THREAD
= MdpLayerLowerLayerListeningThread:GPAK>
<2009-10-21 13:08:59.373 CDT>:[15]:<MDSCS_MDS>:<DEBUG>:<LAYER = MDP, EVENT = Started, THREAD
= MdpLayerHigherLayerListeningThread:GME>
<2009-10-21 13:08:59.388 CDT>:[16]:<MDSCS_MDS>:<SPENGS:SPENGS = UDP, EVENT = Initialization>




THE NEW DIGITAL ECONOMY

WILL DEPEND ON SECURITY

\$3 TRILLION LOST GROWTH - CYBER CRIME & ECONOMIC BACKLASH



World Economic Forum & Mckinsey Jan 2014



Risks to Digital Business

48%

Ability to Manage Identity Very Important

19%

Well Prepared for Security Requirements

72%

Security is Key Challenge for Digital Business

1.4
Billion


Identities Stolen Last Year


* Survey of North American IT Executives by The Economist Intelligence Unit





THE RESULT IS REACTIVE SECURITY






DRIVEN BY

Reactive Technologies



IT Organizations Are Over-Investing in Technologies that Don't Directly Protect Critical Databases from Attack





THE RISKS ARE INSIDE

SIMPLE GOVERNANCE CAN REDUCE THE RISK EXPOSURE





THE DIGITAL SECURITY CONCERNS

- Malicious insiders
- Shared access
- Data privacy
- Hackers
 - Orphaned accounts

- Virtual exploits
- Regulatory compliance
- Indemnification
- Availability
- Privileged users





Security Inside Out = SECURING ACCESS TO APPS & DATA FIRST

IDENTITY MANAGEMENT

Mobile Security Identity
Governance

Directory Services Access

Management

DATABASE SECURITY

Encryption
& Redaction

Privileged

ol 📗

User Control

Management

Key

Activity


Monitoring

Configuration


Management

Database

Firewall











Inside Out Approach to Infrastructure Protection

Protect information where it resides throughout its lifecycle






TAKE A SYSTEMATIC VIEW



STRATEGIC approach that aligns with business requirements and automates controls. Establishes ongoing INTELLIGENCE



Creating an Information Fortress with Oracle Systems







RESIDES IN RELATIONAL DATABASES



SECURITY REQUIRES IDENTITY



Attacks target weak passwords



Target user interaction



Exploit stolen credentials

MOST FREQUENT ATTACK VECTOR & POINT OF CONTROL

Source: 2013 Verizon Data Breach Investigations Report

Source: 2013 Verizon Data Breach Investigations Report


Source: 2013 Verizon Data Breach Investigations Report



THE NEW PERIMETER

PEOPLE

Employees, Contractors
Costumers & Partners



DATA

nstructured & Structured

Phones, Servers, Laptops, Tablets

PREVENT THE THREAT

- CONFIGURE & PATCH
- ACCESS CONTROL
- USER LIFECYCLE
- AUTOMATED REMEDIATION

DETECTIVEMANAGE THE RISK



- ACCESS CERTIFICATION
- ACTIVITY MONITORING
- ANOMALY DETECTION
- IDENTITY ANALYTICS

EXAMPLES

ORACLE COULD MITIGATE

WEAK PASSWORDS


ORACLE SOLUTION

- Multi-factor authentication
- Automated configuration & patching

UNPATCHED SERVER

ORACLE SOLUTION

- Multi-factor authentication
- Automated configuration
 & patching



DEFAULT PASSWORD

ORACLE SOLUTION

- Regular password reset
- Strong password policy

→ UNENCRYPTED DATA

ORACLE SOLUTION

- Database encryption
- Password management

STOLEN CREDENTIALS


ORACLE SOLUTION

- Multi-factor authentication
- Web-fraud detection




ORACLE DATABASE SECURITY


MAXIMUM SECURITY FOR CRITICAL INFRASTRUCTURE





INTEGRATED IDENTITY STACK






ACCESS MANAGEMENT


MOBILE SECURITY






DIRECTORYSERVICES









Oracle Red Stack

Purpose Built for Security



Oracle Red Stack

Purpose Built for Security



Building Your Information Fortress from Data Center to Cloud with the Industry's Broadest Security Portfolio

Applications	Applications	Governance Risk & Compliance, Access & Certification Review, Anomaly Detection, User Provisioning, Entitlements Management
Platform	Middleware	Mobile Security, Privileged Users, Directory Services, Identity Governance, Entitlements Management, Access Management
	Database	Encryption, Enterprise Key Management, Database Firewall, Masking, Redaction, Privileged User Control, Auditing, Secure Configuration
Infrastructure	Operating Systems & Virtual Machine	Application + User Sandboxing, Delegated Administration, Anti- Malware System, Data + Network Protection, Zero-Downtime Patching, Compliance Reporting, Secured Application Lifecycle, Secure Live Migration, Immutable Zones, Independent Control Plane
	Servers, Storage & Networking	Cryptographic Acceleration, Application Data Integrity, Verified Boot, Disk Encryption, Secured Backup, Storage Key Management



THANK YOU FOR LISTENING



Integrated Cloud

Applications & Platform Services



